5 Food safety and nutrition policy

Alongside associated procedures this policy was adopted by St George's Childcare

Signed

Name ADRIAN (ROUCH
Position CHAIR
Date. 22 MAY 2027

Aim

Our setting is a suitable, clean, and safe place for children to be cared for, where they can grow and learn. We meet all statutory requirements for food safety and fulfil the criteria for meeting the relevant Early Years Foundation Stage Safeguarding and Welfare requirements

Objectives

- We recognise that we have a corporate responsibility and duty of care for those who work in and receive a service from our provision, but individual employees and service users also have responsibility for ensuring their own safety as well as that of others.
- Procedure named Kitchen is followed for general hygiene and safety in food preparation areas.
- We provide nutritionally sound meals and snacks which promote health and reduce the risk of obesity and heart disease that may begin in childhood.
- We follow the main advice on dietary guidelines and the legal requirements for identifying food allergens when planning menus based on the four food groups:
 - meat, fish, and protein alternatives
 - milk and dairy products
 - cereals and grains
 - fresh fruit and vegetables.
- Following dietary guidelines to promote health also means taking account of guidelines to reduce risk of disease caused by unhealthy eating.
- Parents share information about their children's particular dietary needs with staff when they enrol their children and on an on-going basis with their key person. This information is shared with all staff who are involved in the care of the child.
- Foods provided by the setting for children have any allergenic ingredients identified on the menus.
- Care is taken to ensure that children with food allergies do not have contact with food products that they are allergic to.

Legal references

Regulation (EC) 852/2004 of the European Parliament and of the Council on the hygiene of foodstuffs.

Food Information Regulations 2014

The Childcare Act 2006

Further guidance

Safer Food Better Business for Caterers (Food Standards Agency) https://www.food.gov.uk/business-guidance/safer-food-better-business-for-caterers

5.1 Food preparation, storage and purchase

General

- All kitchen staff have up to date training on food safety.
- Cooks refer to Eat Better, Start Better (Action for Children 2017) and Example menus for early years settings in England (PHE 2017) which contains guidance on menu planning, food safety, managing food allergies and reading food labels.
- The manager is responsible for ensuring that the requirements in Safer Food Better Business are implemented.
- The manager is responsible for overseeing the work of the cook and all food handlers to ensure hygiene and allergy procedures are complied with.
- The manager has responsibility for conducting risk assessment based on the 'Hazard Analysis and Critical Control Point' method set out in Safer Food Better Business.
- Cooks carry out and record daily opening/closing checks, four weekly reviews and dated records of deep cleaning.
- The cook and setting manager maintain a Food Allergy and Dietary Needs folder with:
 - a list of all children with known food allergies or dietary needs updated at least once a term (the personal/medical details about the allergy or dietary needs remain in the child's file along with a copy of the risk assessment). This is clearly displayed for all staff and the risk assessment shared with all staff.
 - a record of food menus along with any allergens using
- The manager is responsible for informing the directors who then reports to Ofsted any food poisoning affecting two or more children looked after on the premises. Notification must be made as soon as possible and within 14 days of the incident.

Purchasing and storing food

- Food is purchased from reputable suppliers.
- Pre-packed food (any food or ingredient that is made by one business and sold by another such as a retailer or caterer) is checked for allergen ingredients and this information is communicated to parents alongside menu information. For example, a meat pie bought at a supermarket or a tin of baked beans or the ingredients for a recipe prepared on site.
- If food that is not pre-packed (described as 'loose food'), such as sandwiches bought from a bakery is served, then allergen information will have been provided by the retailer, this information must then be shared in the same way with parents.

- Parents are requested not to bring food that contains nuts. Staff check packets to make sure they do not contain nuts or nut products.
- Bulk buy is avoided where food may go out of date before use.
- All opened dried food stuffs are stored in airtight containers.
- Food is regularly checked for sell by/use by dates and any expired items are discarded.
- Bottles and jars are cleaned before returning to the cupboards.
- Food left over should not be frozen unless it has been prepared for freezing, such as home-made bread or stews. Hot food should be left to cool for up to 1.5 hours and then quickly frozen.
- Freezer containers should be labelled, dated and used within 1-3 months.
- Fridge and freezer thermometers should be in place. Recommended temperatures for fridge 37 degrees Fahrenheit (3 degrees Celsius), and freezers 0 degrees Fahrenheit (-18 degrees Celsius).
 Temperatures must be checked and recorded daily to ensure correct temperatures are being maintained.
- Freezers are defrosted every 3 months or according to the manufacturer's instructions.
- Meat/fish is stored on lower shelves and in drip-free dishes.
- Fruit and vegetables stored in the fridge are washed thoroughly before refrigeration to reduce risk of pests and E.coli contamination.
- Staff's own food or drink should be kept in separate designated area of the fridge; where possible, a fridge should be kept in the staff room to avoid mix ups.
- Items in fridges must be regularly checked to ensure they are not past use by dates.

Preparation of food

- Food handlers must check the content of food/packets to ensure they do not contain allergens.
- Food handlers wash hands and cover any cuts or abrasions before handling food.
- Separate boards and knives are used for chopping food, usually colour coded.
- Raw and cooked foods are prepared separately.
- Meat and fish should be washed and patted dry with paper towels. This does not include chicken which must not be washed because of the risk of campylobacter.
- All vegetables and fruit are washed before preparing.
- Food left out is covered, for example when cooling down.
- Frozen meat, fish and prepared foods are thawed properly before cooking.
- Meat and fish are cooked thoroughly; a food probe is to be used to check temperature of roasted meat or baked meat products.
- Where a microwave is used, food is cooked according to manufacturer's instructions.

- Microwaved food is left to stand for a few minutes before serving.
- A food probe is used to check temperature of food, including where heated in a microwave; it is checked in a number of places to avoid 'hot spots'.
- Food is cooked in time for serving and is not prepared in advance of serving times.
- Hot cupboards or ovens are not used to keep food warm.
- Food prepared and cooked for different religious dietary needs and preferences, such as Halal or Kosher meat is cooked in separate pans and served separately.
- Food cooked for vegetarians does not come into contact with meat or fish or products.
- Food cooked and prepared for children with specific dietary needs is cooked in separate pans and served separately.
- Food prepared for children with dietary needs and preferences is clearly labelled and every effort is made to prevent cross-contamination.
- Raw eggs are not to be given in any form, such as mousse
- When given to children, eggs are fully cooked.

Serving Food

- Staff use the following to reduce the likelihood of children with dietary restrictions accessing the food of other children and must take appropriate action to prevent this from happening, for example:
 - coloured plates
 - place mats
 - other methods as agreed by the manager
- Children with allergies/food preferences are not made to feel 'singled out' by the methods used to manage their allergy/food preference.
- Staff are aware of any allergies and will consult the kitchen if they are unsure of any meal sent for a child with identified allergies.
- Tables are cleaned before and after, with soapy water or a suitable non-bleach product.
- Members of staff serving food wash their hands and cover any cuts with a blue plaster.

E.coli prevention

Staff who are preparing and handling food, especially food that is not pre-prepared for consumption e.g. fruit and vegetables grown on the premises, must be aware of the potential spread of E.coli and must clean and store food in accordance with the E.coli 0157 guidance, available at:

www.food.gov.uk/business-industry/guidancenotes/hygguid/ecoliguíde#.U7FCVGIOWdI

Further guidance

Eat Better, Start Better (Action for Children 207) www.foundationyears.org.uk/eat-better-start-better/

Example Menus for Early Years Settings in England (PHE 2017) www.gov.uk/government/publications/example-menus-for-early-years-settings-in-england

Safe Food Better Business <u>www.food.gov.uk/business-guidance/safer-food-better-business-sfbb</u>

Allergen information for loose foods (Food Standards Agency 2017) www.food.gov.uk/sites/default/files/media/document/loosefoodsleaflet.pdf

Campylobacter (Food Standards Agency) <u>www.food.gov.uk/news-updates/campaigns/campylobacter/fsw-2014</u>

5.2 Food for play and cooking activities

Some parents and staff may have strong views about food being used for play. It is important to be sensitive to these issues. For example, children who are Muslim, Jewish, Rastafarian, or who are vegetarian, should not be given any food to play with that contains animal products (Gelatine). Parents' views should be sought on this. In some cases, it is not appropriate to use food for play at all, particularly in times of austerity.

- Food for play may include dough, corn flour, pasta, rice, food colourings/flavourings.
- Staff are constantly alert to the potential hazards of food play, in particular choking hazards and signs of previously undetected allergies.
 - Dried food that is used for play should be kept away from food used for cooking.
 - Foods that are cooked and used for play, such as dough, have a limited shelf life.
 - Cornflour is always mixed with water before given for play.
 - Cornflower and cooked pasta are discarded after an activity; high risk of bacteria forming.
 - Utensils used for play food are washed thoroughly after use.
 - Pulses are not recommended as they can be poisonous when raw
 - Staff must check packaging for ALL food ingredients and details and must only use if safe.

Children's cooking activities

- Before undertaking any cooking activity with children, members of staff should check for allergies and intolerances by checking children's records.
- Children are taught basic hygiene skills such as the need to wash hands thoroughly before handling food, and again after going to the toilet, blowing their nose or coughing.
- The area to be used for cooking is cleaned; a plastic tablecloth is advised.
- Children should wear aprons that are used just for cooking.
- Utensils provided are for children to use only when cooking, including chopping/rolling boards, bowls, wooden spoons, jugs, and are stored in the kitchen.
- Members of staff encourage children to handle food in a hygienic manner.
- Food ready for cooking or cooling is not left uncovered.
- Cooked food to go home is put in a paper food bag and refrigerated until home time.
- Food play activities are suspended during outbreaks of illness.



Food Safety and Nutrition

5.5 Allergies and food intolerance

When a child starts at the setting, parents are asked if their child has any known allergies or food intolerance. This information is recorded on the registration form.

If a child has an allergy or food intolerance, we

- Identify the risk and a care plan is completed
- Use control measures, to prevent contact with the allergen, using coloured plates and individual placemats.
- Inform the kitchen and labels are printed for each child.

Health care plan form

A health care plan will be completed with:

- the nature of the reaction e.g., anaphylactic shock reaction, including rash, reddening of skin, swelling, breathing problems etc.
- managing allergic reactions, medication used and method (e.g., EpiPen)
- The child's name is added to the Dietary Requirements list.
- A copy of the health care plan is kept in the office and is shared with staff in the current room.
- · No nuts or nut products are used within the setting.
- Parents are made aware, so that no nut or nut products are accidentally brought in.

Oral Medication

- Oral medication must be prescribed or have manufacturer's instructions written on them.
- Staff must be provided with clear written instructions for administering such medication.
- All procedures are adhered to for the correct storage and administration of the medication.
- The setting must have the parents' prior written consent. Consent is kept on file.

For other life-saving medication and invasive treatments please refer to Administration of medicine.



Let's run through the FSA's list of the 14 major allergens & some examples of where they can be found

1. Celery

This includes celery stalks, leaves, seeds and the root called celeriac. You can find celery in celery salt, salads, some meat products, soups and stock cubes.

2. Cereals containing gluten

Wheat (such as spelt and Khorasan wheat/Kamut), rye, barley and oats is often found in foods containing flour, such as some types of baking powder, batter, breadcrumbs, bread, cakes, couscous, meat products, pasta, pastry, sauces, soups and fried foods which are dusted with flour.

3. Crustaceans

Crabs, lobster, prawns and scampi are crustaceans. Shrimp paste, often used in Thai and South-East Asian curries or salads, is an ingredient to look out for.

4. Eggs

Eggs are often found in cakes, some meat products, mayonnaise, mousses, pasta, quiche, sauces and pastries or foods brushed or glazed with egg.

5. Fish

You will find this in some fish sauces, pizzas, relishes, salad dressings, stock cubes and Worcestershire sauce.

6. Lupin

Yes, lupin is a flower, but it's also found in *flour!* Lupin flour and seeds can be used in some types of bread, pastries and even in pasta.

7. Milk

Milk is a common ingredient in butter, cheese, cream, milk powders & yoghurt. It can also be found in foods brushed or glazed with milk, and in powdered soups & sauces.

8. Molluscs

These include mussels, land snails, squid and whelks, but can also be commonly found in oyster sauce or as an ingredient in fish stews.

9. Mustard

Liquid mustard, mustard powder and mustard seeds fall into this category. This ingredient can also be found in breads, curries, marinades, meat products, salad dressings, sauces and soups.

10. Nuts

Not to be mistaken with peanuts (which are actually a legume and grow underground), this ingredient refers to nuts which grow on trees, like cashew nuts, almonds and hazelnuts. You can find nuts in breads, biscuits, crackers, desserts, nut powders (often used in Asian curries), stir-fried dishes, ice cream, marzipan (almond paste), nut oils and sauces.

11. Peanuts

Peanuts are actually a legume, and grow underground, which is why it's sometimes called a groundnut. Peanuts are often used as an ingredient in biscuits, cakes, curries, desserts, sauces (such as satay sauce), as well as in groundnut oil and peanut flour.

12. Sesame Seeds

These seeds can often be found in bread (sprinkled on hamburger buns for example), breadsticks, houmous, sesame oil and tahini. They are sometimes toasted and used in salads.

13. Soya

Often found in bean curd, edamame beans, miso paste, textured soya protein, soya flour or tofu, soya is a staple ingredient in oriental food. It can also be found in desserts, ice cream, meat products, sauces and vegetarian products.

14. Sulphur Dioxide (sometimes known as sulphites)

This is an ingredient often used in dried fruit such as raisins, dried apricots and prunes. You might also find it in meat products, soft drinks, vegetables as well as in wine and beer. If you have asthma, you have a higher risk of developing a reaction to sulphur dioxide.



5.4 Meeting dietary requirements

Snack and mealtimes are an important part of the day. Eating represents a social time for children and adults and helps children to learn about healthy eating. We aim to provide nutritious food, which meets the children's individual dietary needs and preferences.

- Staff discuss and record children's dietary needs, allergies and any ethnic or cultural food preferences with their parents.
- If a child has a known food allergy, procedure Allergies and food intolerance is followed.
- Staff and parents record information about each child's dietary needs in the individual child's registration form; parents sign the form to signify that it is correct.
- Up-to-date information about individual children's dietary needs is on the restriction chart in all areas.
- Staff ensure that children receive only food and drink that is consistent with their dietary needs and cultural or ethnic preferences, as well as their parent's wishes.
- The menus of meal and snacks are displayed on the parent notice board for parents to view.
- Staff aim to include food diets from children's cultural backgrounds, providing children with familiar foods and introducing them to new ones.
- Through on-going discussion with parents and research reading by staff, staff obtain information about
 the dietary rules of the religious groups to which children and their parents belong, and of vegetarians
 and vegans, as well as about food allergies. Staff take account of this information when providing food
 and drink.
- Staff provide a vegetarian alternative when meat and fish are offered.
- All staff show sensitivity in providing for children's diets, allergies and cultural or ethnic food
 preferences. A child's diet or allergy is never used as a label for the child, they are not made to feel
 'singled out' because of their diet, allergy or cultural/ethnic food preferences.
- Fresh drinking water is available throughout the day. Staff inform children how to obtain the drinking water and that they can ask for water at any time during the day.
- Meal and snack times are organised as social occasions. Where possible each Key Person will sit with their children at meal times

Fussy/faddy eating

- Children who are showing signs of 'fussy or faddy eating' are not forced to eat anything they do not want to.
- Staff recognise the signs that a child has had enough and remove uneaten food without comment.
- Children are not made to stay at the table after others have left if they refuse to eat certain items of food.

 Staff work in partnership with parents to support them with children who are showing signs of 'faddy or fussy eating' and sign post them to further advice, for example, How to Manage Simple Faddy Eating in Toddlers (Infant & Toddler Forum)

https://infantandtoddlerforum.org/health-and-childcare-professionals/factsheets/

Food Safety and Nutrition

5.5 Allergies and food intolerance

When a child starts at the setting, parents are asked if their child has any known allergies or food intolerance. This information is recorded on the registration form.

If a child has an allergy or food intolerance, we

- Identify the risk and a care plan is completed
- Use control measures, to prevent contact with the allergen, using coloured plates and individual placemats.
- Inform the kitchen and labels are printed for each child.

Health care plan form

A health care plan will be completed with:

- the nature of the reaction e.g., anaphylactic shock reaction, including rash, reddening of skin, swelling, breathing problems etc.
- managing allergic reactions, medication used and method (e.g., EpiPen)
- The child's name is added to the Dietary Requirements list.
- A copy of the health care plan is kept in the office and is shared with staff in the current room.
- No nuts or nut products are used within the setting.
- · Parents are made aware, so that no nut or nut products are accidentally brought in.

Oral Medication

- Oral medication must be prescribed or have manufacturer's instructions written on them.
- Staff must be provided with clear written instructions for administering such medication.
- All procedures are adhered to for the correct storage and administration of the medication.
- The setting must have the parents' prior written consent. Consent is kept on file.

For other life-saving medication and invasive treatments please refer to Administration of medicine.

.

Food Safety and nutrition

5.6 Kitchen

General safety

- Children do not have unsupervised access to the kitchen.
- Wet spills are mopped immediately.
- Mechanical ventilation is used when cooking.
- A clearly marked and appropriately stocked First Aid box is kept in the kitchen.

Cleanliness and hygiene

Staff follow the recommended cleaning schedules in Safer Food Better Business (SFBB).

- · Floors are washed down at least daily.
- · All work surfaces are washed regularly with anti-bacterial agent.
- Inside of cupboards are cleaned monthly.
- · Cupboard doors and handles are cleaned regularly.
- · Fridge and freezer doors are wiped down regularly
- Ovens/cooker tops are wiped down daily after use; ovens are fully cleaned monthly.
- If dishwashers break down, washing up done by hand is carried out in double sinks, where available, one to wash, one to rinse.
- Where possible all crockery and cutlery are air dried.
- Plates and cups are only put away when fully dry.
- · Tea towels, if used, are used once. They are laundered daily.
- Any cleaning cloths used for surfaces are washed and replaced daily.
- There is a mop, bucket, broom, dustpan, and brush set aside for kitchen use only.
- Any repairs needed are recorded and reported to the manager.
- Chip pans are not used.

Further guidance

Safer Food Better Business: Food safety management procedures and food hygiene regulations for small business: www.food.gov.uk/business-guidance/safer-food-better-business

